Superconducting Quantum Interference Devices: Potential Applications in Air Defense

Denys Derlian C. Brito¹, André J. C. Chaves¹

¹Instituto Tecnológico de Aeronáutica, São José dos Campos/São Paulo — Brasil

Abstract— This paper explores the potential applications of Superconducting Quantum Interference Devices (SQUIDs) in air defense. Emphasizing the significance of quantum technologies, we delve into the theoretical foundations, circuit designs, and practical applications of SQUIDs, particularly focusing on their role in enhancing cybersecurity in military contexts. The study highlights the advantages of SQUIDs in improving radar sensitivity and resolution, ensuring secure communications, and bolstering cybersecurity measures. By integrating qualitative analysis and literature review, we provide a comprehensive overview of how SQUIDs can transform air defense systems. The findings suggest that further research and development in this area could lead to significant advancements in military technology, making defense systems more robust and reliable.

Keywords—Quantum Technologies, Superconducting Quantum Interference Devices, Cybersecurity.

I. INTRODUCTION

Quantum computing, with its potential to solve complex problems exponentially faster than classical computers, is poised to revolutionize various fields [1]. One of the most promising components of quantum computing hardware is the Superconducting Quantum Interference Devices (SQUIDs), which leverages quantum mechanical effects to perform precise measurements of magnetic fields [2]. The unique properties of SQUIDs make them ideal for applications that require extreme sensitivity and precision [3].

In the military domain, the ability to detect and process information with high accuracy is fundamental and SQUIDs, due to their sensitivity, offer significant advantages in this regard. For instance, they can enhance the performance of radar systems, leading to better detection capabilities and improved response times to potential threats [4]. Additionally, the integration of SQUIDs into communication systems can provide more secure channels, leveraging quantum properties to prevent interception and eavesdropping [5].

Quantum technologies represent a frontier in scientific advancement with profound implications across various sectors, including military applications [6]. In this context, SQUIDs, as relevant elements of quantum technology, have garnered significant interest globally [7]. This paper investigates the relevance of SQUIDs in military contexts, particularly air defense, through qualitative analysis and literature review.

The methodology adopted in this paper involves a comprehensive qualitative analysis and a thorough review of existing literature. By synthesizing findings from various studies and analyzing current technological advancements, we aim to provide a holistic view of the potential applications of

Denys Derlian C. Brito, denysderlian@hotmail.com; André J. C. Chaves, andrej6@gmail.com.

SQUIDs in air defense. This approach ensures a robust understanding of both the theoretical underpinnings and practical implications of utilizing SQUIDs in military technologies.

II. SUPERCONDUCTING QUANTUM INTERFERENCE DEVICES

SQUIDs are highly sensitive magnetometers used to measure subtle magnetic fields [8]. These devices operate at low temperatures and utilize superconducting loops containing Josephson Junctions, which are key to their high sensitivity and precision [2]. The applications of SQUIDs range from medical imaging to mineral exploration and, notably, military technologies [9].

One of the primary advantages of SQUIDs is their ability to detect magnetic fields with high sensitivity [3]. This sensitivity arises from the quantum mechanical properties of the superconducting loops and Josephson Junctions, which allow SQUIDs to detect changes in magnetic flux as small as a few femtoteslas [10]. This capability makes them indispensable in fields requiring precise magnetic field measurements, such as biomagnetic studies [11] and geophysical surveys [12].

Moreover, SQUIDs are integral to the development of quantum computing systems. Their ability to measure and control quantum states with high accuracy is essential for the advancement of quantum information processing [13]. In military applications, this precision can be leveraged to enhance the performance of various defense systems, including navigation, detection, and communication technologies [4].

A. Josephson Junctions

A Josephson Junction is a fundamental component of SQUIDs, characterized by the Josephson effect [14]. The governing equations are [15]:

$$I(\varphi) = I_c \sin(\varphi) \tag{1}$$

$$V(\varphi) = \frac{\hbar}{2e} \frac{d\varphi}{dt}$$
(2)

where I_c is the critical current, φ is the phase difference across the junction, V is the voltage, \hbar is the reduced Planck constant, and e is the electron charge. These equations illustrate the quantum mechanical nature of the Josephson Junction.

The Josephson effect allows for the supercurrent to pass through the junction without any voltage drop, provided the current remains below a critical value I_c . This unique property results from the tunneling of Cooper pairs across the insulator, a phenomenon that can only be explained by quantum mechanics [16]. The Josephson equations describe the relationship



between the current, voltage, and phase difference, forming the basis for the operation of SQUIDs.

Josephson Junctions exhibit interesting behaviors, such as the AC and DC Josephson effects. The AC Josephson effect occurs when a constant voltage is applied across the junction, causing an oscillating supercurrent. The frequency of this oscillation is directly proportional to the applied voltage, providing a precise frequency standard. The DC Josephson effect, on the other hand, involves a supercurrent flowing without any voltage drop, as long as the current is below I_c [15]. These effects are harnessed in various quantum devices and contribute to the high sensitivity of SQUIDs [16].

B. Circuit Design with SQUIDs

The basic configuration of a SQUID involves a superconducting loop with one or two Josephson Junctions [3]. In a DC SQUID, two Josephson Junctions are placed in parallel within the loop. The magnetic flux threading the loop induces a circulating current that alters the phase differences across the junctions. This change in phase modulates the supercurrent through the junctions, enabling the detection of small magnetic fields [10].

A representation of a SQUID circuit can be visualized in Fig. (1):



Fig. 1. SQUID circuit representation

The total current in a SQUID can be described as [17]:

$$I = I_1 \sin(\varphi_1) + I_2 \sin(\varphi_2) \tag{3}$$

where I_1 and I_2 are the currents through two Josephson Junctions with phase differences φ_1 and φ_2 . Additionally, for a symmetric SQUID, using the trigonometric relations of the sum of two sines and the fluxoid quantization, this equation is rewritten as:

$$I = 2I_c \cos(\varphi_e) \sin\left(\frac{\varphi_1 + \varphi_2}{2}\right) = 2I_c \cos(\varphi_e) \sin(\varphi) \quad (4)$$

where I_c is the critical current, φ_e represents the external phase bias due to the applied magnetic flux threading the SQUID loop, while $\varphi = \frac{\varphi_1 + \varphi_2}{2}$ is the average phase difference across the Josephson junctions. These terms describe the current I through the SQUID, reflecting the interplay between the external magnetic flux and the phase dynamics of the junctions.

Advanced SQUID designs include multi-loop configurations and integrated SQUID arrays. These designs enhance the device's sensitivity and allow for the measurement of spatial variations in magnetic fields [18]. By optimizing the geometry and material properties of the SQUID circuits, researchers can tailor the device's performance for specific applications, such as low-noise amplification in quantum computing [19] or high-resolution imaging in medical diagnostics [20].

The integration of SQUIDs into larger systems requires careful consideration of the noise characteristics and thermal management [21]. Since SQUIDs operate at cryogenic temperatures, maintaining a stable low-temperature environment is essential for their optimal performance. Furthermore, minimizing electrical noise and interference from external sources is essential to preserve the device's high sensitivity. Advances in cryogenics and shielding technologies continue to improve the practical deployment of SQUIDs in various applications [18].

III. POTENTIAL APPLICATIONS IN AIR DEFENSE

The potential of SQUIDs in air defense is vast, from enhancing radar systems to improving secure communication channels. This section provides a comprehensive analysis of various applications.

A. Enhanced Radar Systems

SQUIDs can significantly improve the sensitivity and resolution of radar systems, enabling better detection and tracking of stealth aircraft and other airborne threats [4], as well as submarines [8]. Traditional radar systems often struggle to detect low-signature targets due to limited sensitivity [22]. However, the sensitivity of SQUIDs allows for the detection of weak signals, thereby enhancing radar capabilities [18].

The ability of SQUIDs to measure minute changes in magnetic fields can be utilized to develop radars that operate at lower power levels while maintaining high resolution [23]. This is particularly advantageous in military operations where stealth and energy efficiency are necessary. Enhanced radar systems using SQUIDs can detect and track objects with greater accuracy [24], providing a strategic advantage in surveillance and reconnaissance missions.

Furthermore, SQUID-based radars can be integrated with existing radar systems to improve overall performance. By combining the high sensitivity of SQUIDs with conventional radar technologies, it is possible to create hybrid systems that offer superior detection capabilities. This integration can be achieved through advanced signal processing techniques and the development of custom hardware interfaces [25].

In addition to enhanced detection, SQUID-based radar systems can improve clutter suppression and target discrimination. Clutter, which refers to unwanted echoes from objects apart from the target, can significantly degrade radar performance [26]. The high sensitivity and precision of SQUIDs enable better differentiation between target signals and clutter, leading to more accurate tracking and identification of threats [27].

B. Secure Communication

Quantum properties of SQUIDs can be utilized to develop secure communication channels resistant to eavesdropping



and cyberattacks, ensuring the integrity and confidentiality of military communications [28]. The principles of quantum key distribution (QKD) and quantum encryption can be applied to create communication systems that are inherently secure [29].

One of the primary challenges in military communication is ensuring that messages remain confidential and tamper-proof. Traditional encryption methods, while robust, are susceptible to being broken with the advent of quantum computing. Quantum communication systems, on the other hand, use the principles of quantum mechanics to secure data transmission [5].

The implementation of SQUIDs in quantum communication systems can significantly enhance their performance. For instance, SQUIDs can be used to detect and correct errors in quantum key distribution, ensuring the reliability of the key exchange process [30]. Additionally, the high sensitivity of SQUIDs can improve the detection of quantum signals over long distances, making secure communication feasible even in challenging environments [31].

Moreover, SQUID-based communication systems can be integrated with existing military communication infrastructure. This integration allows for the gradual adoption of quantum technologies without the need for a complete overhaul of current systems. By incorporating SQUIDs into secure communication networks, military organizations can enhance their cybersecurity posture and protect sensitive information from potential adversaries [32].

C. Cybersecurity

One of the key advantages of SQUIDs in cybersecurity is their ability to detect subtle changes in electronic signals that may indicate a security breach. Traditional cybersecurity measures often rely on software-based detection methods, which can be bypassed by sophisticated attackers. SQUIDs, however, can provide a hardware-based layer of security that is much harder to circumvent [33].

Incorporating SQUIDs into cybersecurity frameworks can enhance the detection of anomalies and unauthorized access attempts, providing a robust defense against cyber threats. The high sensitivity and precision of SQUIDs make them ideal for monitoring and securing complex digital environments [34].

Furthermore, SQUIDs can be employed in the development of quantum cryptographic protocols. These protocols leverage the principles of quantum mechanics to create encryption methods that are theoretically unbreakable. The precision and sensitivity of SQUIDs are essential for the implementation of these protocols, ensuring the secure exchange of cryptographic keys and the protection of sensitive data [35].

IV. CONCLUSION

Superconducting Quantum Interference Devices hold substantial promise for advancing air defense technologies. Their applications in radar, secure communications, and cybersecurity illustrate their potential to transform military operations. Future research should focus on overcoming technical challenges and integrating SQUIDs into existing defense systems.

The advancements in SQUID technology have opened new avenues for improving the sensitivity and effectiveness of radar systems. Enhanced radar capabilities can significantly augment threat detection and situational awareness, providing military forces with a strategic advantage. By leveraging the unique properties of SQUIDs, radar systems can achieve higher resolution and better target discrimination, which are decisive for modern air defense.

In the realm of secure communication, the integration of SQUIDs offers unprecedented levels of security. Quantum communication systems, underpinned by the precise measurements of SQUIDs, can safeguard military communications against eavesdropping and cyberattacks. This ensures that sensitive information remains confidential and protected, which is vital for the integrity of military operations.

Cybersecurity frameworks enhanced with SQUIDs can detect and mitigate threats with higher accuracy and efficiency. The ability to monitor and analyze electronic signals in realtime provides a robust defense against sophisticated cyber threats. By incorporating SQUIDs into cybersecurity measures, military organizations can strengthen their defenses against unauthorized access and ensure the protection of critical infrastructure. This proactive approach to cybersecurity is essential in an era where cyber threats are becoming increasingly complex and pervasive.

The potential applications of SQUIDs in air defense are not limited to the scenarios discussed in this paper. As research and development in quantum technologies continue to advance, new and innovative uses for SQUIDs are likely to emerge. Continued investment in this field will facilitate the integration of SQUIDs into a broader range of military systems, further enhancing their capabilities and effectiveness.

Moreover, collaboration between academia, industry, and military institutions will be key to overcoming the technical challenges associated with SQUID technology. By working together, these entities can accelerate the development and deployment of SQUID-based systems, ensuring that military forces are equipped with the most advanced technologies available. This collaborative approach will also help to identify and address any potential limitations or vulnerabilities in SQUID applications.

Future research should focus on addressing the remaining technical challenges, such as improving the operational stability of SQUIDs and reducing their cost. Additionally, exploring new materials and fabrication techniques could further enhance the performance of SQUIDs. As we continue to push the boundaries of what is possible with quantum technologies, SQUIDs will undoubtedly play a fundamental role in shaping the future of military defense systems.

REFERENCES

- A. Harrow and A. Montanaro, "Quantum computational supremacy," *Nature*, vol. 549, pp. 203–209, 2017.
- [2] O. Ezratty, "Understanding quantum technologies," 11 2021.
- [3] J. Clarke, "Principles and applications of squids," *Proc. IEEE*, vol. 77, pp. 1208–1223, 1989.
- [4] M. Krelina, "Quantum technology for military applications," EPJ Quantum Technology, vol. 8, 12 2021.
- [5] N. Neumann, M. Heesch, and P. Graaf, "Quantum communication for military applications," 11 2020.
- [6] E. Parker, "Commercial and military applications and timelines for quantum technology," 2021.
- [7] Q. Flagship, "Strategic research agenda," 2020.
- [8] A. Lele, Quantum Technologies and Military Strategy, 01 2021.
- [9] H. Weinstock and Appliations, "Squid sensors : fundamentals, fabrication, and applications," 1996.



- [10] I. Sochnikov, D. Davino, and B. Kalisky, "dc squid design with femtotesla sensitivity for quantum-ready readouts," *Phys. Rev. Appl.*, vol. 14, p. 014020, Jul 2020. [Online]. Available: https://link.aps.org/doi/10.1103/PhysRevApplied.14.014020
- [11] C. Outeiral, M. Strahm, J. Shi, G. Morris, S. Benjamin, and C. Deane, "The prospects of quantum computing in computational molecular biology," *Wiley Interdisciplinary Reviews: Computational Molecular Science*, vol. 11, 2020.
- [12] A. Chwala, R. Stolz, M. Schmelz, V. Zakosarenko, M. Meyer, and H.-G. Meyer, "Squid systems for geophysical time domain electromagnetics (tem) at ipht jena," *IEICE Transactions on Electronics*, vol. E98.C, pp. 167–173, 03 2015.
- [13] J. Clarke, M. Hatridge, and M. Moessle, "Squid-detected magnetic resonance imaging in microtesla fields." *Annual review of biomedical engineering*, vol. 9, pp. 389–413, 2007.
- [14] J. C. Gallop, SQUIDs, the Josephson effects and superconducting electronics. CRC Press, 2017.
- [15] C. Timm. (2020) Theory of superconductivity. Version: March 24, 2023. [Online]. Available: https://tudresden.de/mn/physik/itp/cmt/ressourcen/dateien/skripte/Skript_Supra .pdf?lang=en
- [16] C. Poole, H. Farach, R. Creswick, and R. Prozorov, Superconductivity. Elsevier Science, 2010. [Online]. Available: https://books.google.com.br/books?id=HWnDpQPpM3kC
- [17] J. Clarke and A. Braginski, *The SQUID Handbook: Fundamentals and Technology of SQUIDs and SQUID Systems*. Wiley, 2006. [Online]. Available: https://books.google.com.br/books?id=BsTTM-nU-JkC
- [18] D. Drung, C. Assmann, J. Beyer, A. Kirste, M. Peters, F. Ruede, and T. Schurig, "Highly sensitive and easy-to-use squid sensors," *IEEE Transactions on Applied Superconductivity*, vol. 17, pp. 699–704, 2007.
- [19] F. Schupp, F. Vigneau, Y. Wen, A. Mavalankar, J. Griffiths, G. Jones, I. Farrer, D. Ritchie, C. Smith, L. Camenzind *et al.*, "Sensitive radiofrequency readout of quantum dots using an ultra-low-noise squid amplifier," *Journal of Applied Physics*, vol. 127, no. 24, 2020.
- [20] K. Sternickel and A. I. Braginski, "Biomagnetism using squids: status and perspectives," *Superconductor Science and Technology*, vol. 19, no. 3, p. S160, 2006.
- [21] B. Chesca, "Theory of rf squids operating in the presence of large thermal fluctuations," *Journal of Low Temperature Physics*, vol. 110, pp. 963–1001, 1998.
- [22] D. Moffatt and R. Mains, "Detection and discrimination of radar targets," *IEEE Transactions on Antennas and Propagation*, vol. 23, pp. 358–367, 1975.
- [23] C. L. Degen, F. Reinhard, and P. Cappellaro, "Quantum sensing," *Reviews of modern physics*, vol. 89, no. 3, p. 035002, 2017.
- [24] J. Rudd, G. Chubak, H. Larnier, R. Stolz, M. Schiffler, V. Zakosarenko, M. Schneider, M. Schulz, and M. Meyer, "Commercial operation of a squid-based airborne magnetic gradiometer," *The Leading Edge*, 2022.
- [25] Z. Dou, X. Zhong, W. Zhang, and J. Hu, "Optimization design of communication-radar integrated waveform generation system," 2016 IEEE International Conference on Electronic Information and Communication Technology (ICEICT), pp. 526–529, 2016.
- [26] D. D. Sworder, "Radar detection in clutter," *IEEE Transactions on Aerospace and Electronic Systems*, vol. 41, pp. 1056–1067, 2005.
- [27] Y. Yang, S. Xiao, and X. Wang, "Radar detection of small target in sea clutter using orthogonal projection," *IEEE Geoscience and Remote Sensing Letters*, vol. 16, pp. 382–386, 2019.
- [28] C. Yang, S. Chu, and S. Han, "Quantum information transfer and entanglement with squid qubits in cavity qed: a dark-state scheme with tolerance for nonuniform device parameter." *Physical review letters*, vol. 92 11, p. 117902, 2004.
- [29] E. Biham, M. Boyer, P. Boykin, T. Mor, and V. Roychowdhury, "A proof of the security of quantum key distribution," *Journal of Cryptology*, vol. 19, pp. 381–439, 1999.
- [30] K. A. Balygin, A. Klimov, S. Kulik, and S. N. Molotkov, "On the correction of errors in quantum cryptography systems," *JETP Letters*, vol. 104, pp. 341–346, 2016.
- [31] S. Wu, C. Gong, S. Li, R. Ni, and J. Zhu, "Weak radio frequency signal reception sensitivity based on dc superconducting quantum interference devices," *IEEE Transactions on Applied Superconductivity*, vol. 33, pp. 1–8, 2023.
- [32] M. Petrović, A. Milic, V. J. Joksimović, T. Stanojević, and A. Vasić, "System for internal communication and its implementation in military tactical communications network," *Scientific Technical Review*, 2022.
- [33] D. Drung, "High-tc and low-tc dc squid electronics," *Superconductor Science and Technology*, vol. 16, pp. 1320–1336, 2003.
- [34] J. Clarke, "Squid concepts and systems," pp. 87-148, 2017.
- [35] J. Fitzsimons, "Private quantum computation: an introduction to blind quantum computing and related protocols," *npj Quantum Information*, vol. 3, 2016.